

IV. *Observationes Cœlestes Multifariæ inter Menses*
Novemb. 1727, & Novemb. 1728,
Pekini in SINIS, habitæ & ad Rev.
P. Joannem Baptistam Carbone, Soc. Jes.
transmissæ. Ex eadem Epistola descriptæ.

I. *Immerfiones, & Emerfiones Satellitum Jovis*
observatæ Pekini in Sinis.

SATELL. I.

		D.	H.	'	"	
Immerfiones.	{	Nov. 2	10	21	10	Vesp.
		10	0	14	26	Mane.
		11	6	44	10	Vesp.
Emerfiones.	{	Dec. 3	2	30	42	Mane.
		10	4	22	5	Mane.
		11	10	50	0	Vesp.
		13	5	17	50	Vesp.
		19	0	40	44	Mane.
		20	7	8	20	Vesp.
		26	2	32	33	Mane.
		27	9	0	0	Vesp.

Jan.

(367)							
		D.	H.	'	"		
1728.	{ Jan.	3	10	51	50	Vesp.	
		5	5	20	0	Vesp.	
		11	0	45	18	Mane.	
		12	7	13	27	Vesp.	
		19	9	5	40	Vesp.	
	{ Emerfiones.	26	0	59	0	Vesp.	
		28	5	27	20	Vesp.	
		{ Feb.	4	7	22	0	Vesp.
			11	9	16	40	Vesp.
			18	11	12	30	Vesp.
	{ Mart.	20	5	41	50	Vesp.	
		21	7	58	55	Vesp.	
		{ Sept.	20	1	12	12	Mane.
	{ Oct.		4	5	6	0	Mane.
		{ Immerfiones.	13	1	30	0	Mane.
20	3		26	15	Mane.		
27	5		19	30	Mane.		

S A T E L L. II.

Immerf. 1727.	Nov.	6	4	5	40	Mane.	
	Dec.	1	3	40	45	Mane.	
		4	5	2	0	Vesp.	
Emerfiones.	{	11	7	37	42	Vesp.	
		18	10	11	13	Vesp.	
		26	0	47	39	Mane.	
1728.	{	Jan.	5	4	42	0	Vesp.
		12	7	16	16	Vesp.	
Emerfiones.	{	19	9	51	0	Vesp.	
		Feb.	13	7	3	45	Vesp.
		20	9	46	0	Vesp.	
Immerfio.	Oct.	30	3	34	10	Mane.	

S A T E L L. III.

1727.	D.	H.	'	"	
Incipit	{ Nov.	21	7	57	o Vesp.
emergere		28	11	53	o Vesp.
1728.					
Immerf. tot.	Jan.	3	5	43	40 Vesp.
Emerf. prima			7	42	o Vesp.
Immerf. tot.		10	9	42	52 Vesp.
Emerf. prima			11	42	20 Vesp.
Immerfio	{ Feb.	22	9	42	30 Vesp.
totalis.		28.	9	6	6 30 Mane.

II. *Observatio Eclipsis Lunæ die 19 Aug. 1728, habita Pekini in Observatorio publico.**Horol. Corr.*

H.	'	"	
			Non multo ante Eclipsim dimensa diameter Lunæ erat 30' 50".
10	54	o	Penumbra jam inficiebat partes Lunæ primo inumbrandas.
11	2	o	Initium Eclipsis paulo infra Cleostratum.
	13	o	Umbra attingit Aristarchum.
	14	30	Obtextit totum.
	15	20	Attingit Platonem.
	16	50	Obtextit totum.
	22	20	Attingit Galilæum & Timocharim.
	23	20	Pitheam.
	26	30	Keplerum.
	27	30	Aristillum.
	31	30	Hevelium, Copernicum, & Endymionem fere simul.
	36	20	Ricciolum.
	38	15	Possidonium.
	40	10	Grimaldum, & Mercurium.
	41	40	Manilium.

Mene.

H.	'	"	
II	43	40	Menelaum.
	47	0	Plinium, & Geminum.
	52	0	Umbra ad centrum Lunæ, obteſto Grimaldo toto.
	54	20	Attingit mareCrim-
	56	40	Ariadæum [ſium} Grimaldi apice au-
	57	0	Proclum } ſtrali hærente ad
			} marginem umbræ.
12	0	0	Culminante Luna recta per medium Ty-
			chonem tendens inter Munofium, &
			Profatium ad Copernicum coincidit
			cum plano Meridiani.
	2	30	Umbra attingit Promontorium } Lente
			acutum, } admo-
	4	30	Cenforinum & Tarantium, } dum e-
	6	0	MareCriſium totum obteſtum, } mergen-
	15	30	Umbra attingitS.Theophilum, } te Gri-
	16	0	S. Cyrillum, } maldo.
	21	30	Langrenium. Grimaldo integre emerſo.
	25	15	S. Catharinam, Ricciolo toto reſeſto.
	31	0	Circa medium Eclipſis micrometro di-
			menſa quantitas obſcurationis erat
			Sinice digit. 6½ ferme, ſive more Eu-
			ropæo digit. 7¼.
12	34	0	Emerſit Hevelius totus.
	36	0	Umbra ad Fracaſtorium.
	43	0	Galilæus
	46	30	Lansbergius } integre deſeſti.
	52	0	Keplerus }
13	1	0	Ariſtarchus }
	2	0	Copernicus incipit emergere.
	5	0	Totus deſegitur.
	10	0	Margo umbræ per centrum Lunæ.
	11	30	Pitheas emerſit.
	15	0	Eratoſthenes & S. Cyrillus deſeſti.

H.	'	"	
13	20	0	Timocharis & S. Theophilus detecti.
	22	20	Ariadæus
	25	0	Manilius
	29	30	Aristillus
	32	0	Plato
	33	0	Censorinus
	34	0	Promontorium acutum.
	38	0	Plinius, & Langrenius integrè detecti.
14	0	0	Finis Eclipsis proximè Berofum.

In fine Eclipsis diameter Lunæ inventa est 30' 38".

Durante Eclipsi sæpius addensati vapores turbabant faciem Lunæ, ut ejus maculæ, & umbræ margo non satis distinctè possent discerni; maxime id accidit ante, & circa finem Eclipsis.

III. *Aliquot Occultationes fixarum per Lunam, observatæ Pekini, A. C. 1728.*

Januar. die 2 Mane Luna occultavit Stellam ϵ *Leonis* Immerfio erat 2^h 35' 20" in recta per Tychonem & S. Theophilum Emerfio fuit 3^h 20' 40" in recta per S. Theophilum & Eratosthenem.

Die 22 Summo Mane Luna transivit per *Pleiadas*. 1^h 0' 25" immerfit *Taygeta* post Lunam, in recta cum Bullialdo, & Abulfeda.

1^h 9' 30" *Celæno*, à Cuspide cornu australi pauculis secundis distans in recta ex Tychone per Clavium, mox disparuit nimia fluctuatione lucidi limbi Lunæ absorpta.

1^h 18' 24" immerfit *Sterope* in recta cum Bullialdo, & Fracastore.

1^h 25' 56" *Maia* in recta ex Tychone per Longomontanum. Emerfio nullius videri poterat ob nimiam fluctuationem lucis Lunæ inter vapores.

Die 29 Vesf. Luna obtexit Stellam τ *Leonis* Immerfio

fio fuit $9^h 27' 53''$ in recta cum Galilæo, & Lansbergio. Emerfio verò $10^h 24' 17''$ in recta cum Macrobio & Sofigene.

Mart. die 21 Vesp. occultavit Luna Stellam γ *Canceri*. Immerfio fuit $8^h 14'$ in recta per Copernicum & Boreum marginem Langreni. Emerfio fuit neglecta.

Maii die 24 Summo Mane $1^h 51' 30''$ Luna abforbuit Stellam τ *Scorpionis* proxime Byrgium. Emerfio non fuit observata.

Sept. die 14 Vesp. Luna occultavit Stellam η *Capricorni*. Immerfio fuit $8^h 11' 20''$ inter Seleucum & Cardanum. Emerfio $9^h 37' 30''$ paulo infra Langrenum.

Die 19 Vesp. Luna obtexit Stellam δ *Pifcium*. Immerfio fuit $8^h 43' 45''$ in recta per Tychonem & Langrenum. Emerfio autem $9^h 5' 15''$ in recta cum Tychone & Keplero.

Oct. die 28 Manè Luna occultavit Regulum, feu Cor *Leonis* Immerfio fuit $1^h 39' 50''$ in recta per Aristarchum & Gassendum. Emerfio $2^h 11' 15''$ in recta per Aristarchum & Cardanum.

V. *An Account of the Veins and Arteries of Leaves.*
By Frank Nicholls, M. D. *Præl. Anat. Oxon.*
F. R. S.

BY a Letter from Dr. *Fuller* in *Holland* to the President, and communicated about *October* last, the Society was informed, that the ingenious Professor *Ruyfch* had observed something in the dissecting of Leaves analogous to the Veins and Arteries of Animals; but without explaining in what Manner these different Vessels were disposed, or by what Means they may be distinguished from each other.

When